



SECTION AT #118 HIP

SCALE 1-1/2" = 1'

GENERAL NOTES:

1. THIS IS A PROTOTYPICAL DETAIL FOR REVIEW. MODIFICATIONS MAYBE REQUIRED TO MEET PROJECT SPECIFIC REQUIREMENTS.
2. MINIMUM 2" HEADLAP REQUIRED FOR #118 HIP.
3. A BEAD OF SEALANT SHOULD BE APPLIED BETWEEN THE LAP OF EACH HIP TILE.


LUDOWICI®

4757 Tile Plant Road, P.O. BOX 69, New Lexington, OH 43764

Telephone: (888) 582-9052 Fax: (740) 342-1906

www.ludowici.com

SYSTEM:	Cotswold Tile
Detail #:	COTSWOLD-201
Description:	SECTION AT #118 HIP
Drawing Date:	2014.10.14
Scale:	1-1/2" = 1'-0"
Ludowici N.A. Reference #:	Cotswold Tile COTSWOLD-201

The information contained on this drawing is the sole property of Ludowici Roof Tile, Inc. Any reproduction in whole or part without the express written permission of Ludowici Roof Tile, Inc. is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice when deemed necessary for product development and/or enhancement.